

MOST COMMON ALLERGENS TO BE TESTED IN PAN INDIA (Excluding Himalayan Belt)

DUST MITES

1	Dermatophagoides pteronyssinus
2	Dermatophagoides Farinae
3	Blomia Tropicals

MOULDS

11	Alternaria Tenuis
12	Aspergillus Fumigates
13	Cladosporium
14	Aspergillus flavus

Note: Additionally, in cases of suspected allergic fungal sinusitis

15	Curvillaria, Fusarium,
16	Helmenthisporium,
17	Pencillinium,
18	Rhizopus

ANIMAL AND INSECTS

21	Cockroach
22	Cat Dander
23	Dog Epithelia

GRASS POLLEN

31	Burmuda Grass/ <i>Cynodon dactylon</i>
32	<i>Cyperus rotundus</i>
33	Maize/ <i>Zea mays</i>

WEED POLLEN

41	Short ragweed/ <i>Parthenium hysterophorus</i>
42	Mugwort/ <i>Artemesia</i>
43	Spiny Pig weed/ <i>Amaranthus spinosum</i>
44	Lamb's Quarters/ <i>Chenopodium alba</i>
45	<i>Ricinus communis</i>
46	<i>Xanthium strumarium</i> (cross reacts with <i>Parthenium</i>)

TREE POLLEN

51	Acacia
52	Mesquite/ <i>Prosopis juliflora</i>
53	<i>Holoptelea integrifolia</i>
54	<i>Casuarina equisetifolia</i> (coastal)
55	<i>Cassia siamea</i>
56	Euclyptus (Important for Nilgiri and foot belt of Nilgiri)
57	<i>Cocus nucifera</i> (important for coastal belt and coconut farm)
58	Neem/ <i>Azaditecta indica</i>
59	<i>Peltophorum pterocarpum</i>